


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY

Feedback

hash xor session key public key encrypt

For

Terms used: hash xor session key public key encrypt

 Sort results by
☒ Save results to a Binder

 Refine these results with Ad
 Try this search in The ACM (

 Display results
☐ Open results in a new window

Results 1 - 20 of 35

Result page: 1 2 next >>

1 [LIGER: implementing efficient hybrid security mechanisms for heterogeneous sensor networks](#)

Ad


 Patrick Traynor, Raju Kumar, Hussain Bin Saad, Guohong Cao, Thomas La Porta
 June 2006 MobiSys '06: Proceedings of the 4th international conference on Mobile systems, applications and services

Publisher: ACM

 Full text available: pdf(592.00 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 154, Citation Count: 0

The majority of security schemes available for sensor networks assume deployment in areas without access to a wired infrastructure. More specifically, nodes in these networks are unable to leverage key distribution centers (KDCs) to assist them with ...

Keyw ords: heterogeneous sensor networks, hybrid network security, probabilistic authentication, probabilistic key management

 IEI
 Re
 pr
 ed
 in
 bm

 En
 Me
 In
 Re
 Au
 Pa
 ww

2 [Public-key cryptography and password protocols](#)



Shai Halevi, Hugo Krawczyk

August 1999 ACM Transactions on Information and System Security (TISSEC), Volume 2 Issue 3

Publisher: ACM

 Full text available: pdf(275.64 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 27, Downloads (12 Months): 319, Citation Count: 11

We study protocols for strong authentication and key exchange in asymmetric scenarios where the authentication server possesses ~ a pair of private and public keys while the client has only a weak human-memorizable password as its authentication key. ...

Keyw ords: dictionary attacks, hand-held certificates, key exchange, passwords, public passwords, public-key protocols

 Cc
 Pr
 1,
 av
 fro
 ori
 ww

 Di
 Cc
 Pe
 an
 co
 M/
 Sii
 ww


3 [A survey of key management for secure group communication](#)



Sandro Rafaelli, David Hutchison

September 2003 ACM Computing Surveys (CSUR), Volume 35 Issue 3

Publisher: ACM


Full text available:  pdf(346.27 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 51, Downloads (12 Months): 642, Citation Count: 15


Group communication can benefit from IP multicast to achieve scalable exchange of messages. However, there is a challenge of effectively controlling access to the transmitted data. IP multicast by itself does not provide any mechanisms for preventing ...

Keyw ords: Group Key Distribution, Multicast Security

4 [Self-organised group key management for ad hoc networks](#)

 Ling Luo, Rei Safavi-Naini, Joonsang Baek, Willy Susilo
March 2006 ASIACCS '06: Proceedings of the 2006 ACM Symposium on Information, computer and communications security

Publisher: ACM


Full text available:  pdf(430.32 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 13, Downloads (12 Months): 198, Citation Count: 0


We propose a fully distributed group key distribution protocol for ad hoc networks. The protocol uses a key pre-distribution step that is performed by each node independently and generates secure links between nodes in a neighbourhood. The key pre-distribution ...

Keyw ords: Ad hoc network, key distribution, privacy homomorphism

5 [The dual receiver cryptosystem and its applications](#)

 Theodore Diamant, Homin K. Lee, Angelos D. Keromytis, Moti Yung
October 2004 CCS '04: Proceedings of the 11th ACM conference on Computer and communications security

Publisher: ACM


Full text available:  pdf(329.14 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 55, Citation Count: 1

We put forth the notion of a dual receiver cryptosystem and implement it based on bilinear pairings over certain elliptic curve groups. The cryptosystem is simple and efficient yet powerful, as it solves two problems of practical importance whose solutions ...

Keyw ords: digital signature, elliptic curves, key escrow, pairing-based cryptography, public key, puzzles, useful secure computation

6 [Nark: receiver-based multicast non-repudiation and key management](#)

 Bob Briscoe, Ian Fairman
November 1999 EC '99: Proceedings of the 1st ACM conference on Electronic commerce
Publisher: ACM

Full text available:  pdf(168.86 KB) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 41, Citation Count: 2

Keyw ords: Internet, audit trail, key management, multicast, non-repudiation, smartcard, watermark

7 [Key management for encrypted broadcast](#)



Avishai Wool

May 2000 ACM Transactions on Information and System Security (TISSEC), Volume 3
Issue 2

Publisher: ACM

Full text available: pdf(220.36 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 118, Citation Count: 0

We consider broadcast applications where the transmissions need to be encrypted, such as direct broadcast digital TV networks or Internet multicast. In these applications the number of encrypted TV programs may be very large, but the secure memory capacity ...

Keyw ords: conditional access, pay-per-view

8 [Key-assignment strategies for CPPM](#)



André Adelsbach, Jörg Schwenk

September 2004 MM&Sec '04: Proceedings of the 2004 workshop on Multimedia and security

Publisher: ACM

Full text available: pdf(454.53 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 37, Citation Count: 0

CSS, the first system to protect multimedia content on the new DVD medium failed badly, because both its encryption algorithm and its key management could easily be broken. A new industry initiative, the 4C Entity, LLC (founded by IBM, Intel, Matsushita ...

Keyw ords: CPPM, content protection, device revocation, key-assignment, key-management

9 [Analyzing security protocols with secrecy types and logic programs](#)



Martin Abadi, Bruno Blanchet

January 2005 Journal of the ACM (JACM), Volume 52 Issue 1

Publisher: ACM

Full text available: pdf(438.64 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 15, Downloads (12 Months): 175, Citation Count: 8

We study and further develop two language-based techniques for analyzing security protocols. One is based on a typed process calculus; the other, on untyped logic programs. Both focus on secrecy properties. We contribute to these two techniques, in particular ...

Keyw ords: Cryptographic protocols, logic programming, process calculi, secrecy properties, typing

10 [A user-centric anonymous authorisation framework in e-commerce environment](#)



Richard Au, Harikrishna Vasanta, Kim-Kwang Raymond Choo, Mark Looi

March 2004 I CEC '04: Proceedings of the 6th international conference on Electronic commerce

Publisher: ACM

Full text available: pdf(291.06 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 16, Downloads (12 Months): 86, Citation Count: 1

A novel user-centric authorisation framework suitable for e-commerce in an open environment is proposed. The credential-based approach allows a user to gain access rights anonymously from various service providers who may not have pre-existing relationships. ...

11 Anti-vamming trust enforcement in peer-to-peer VoIP networks



Nilanjan Banerjee, Samir Saklikar, Subir Saha

July 2006 I WCMC '06: Proceedings of the 2006 international conference on Wireless communications and mobile computing

Publisher: ACM

Full text available: pdf(377.95 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 15, Downloads (12 Months): 236, Citation Count: 0

With the increasing popularity of Voice over IP (VoIP) the threat of "vamming" or VoIP spam calls is looming large over the telecom industry. This threat arises out of the "openness" of the IP-based network such as the Internet, which enables anyone ...

Keyw ords: identity, peer-to-peer networks, trust, vamming, voice over IP

12 A secure and private system for subscription-based remote services



Pino Persiano, Ivan Visconti

November 2003 ACM Transactions on Information and System Security (TISSEC), Volume 6 Issue 4

Publisher: ACM

Full text available: pdf(241.65 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 112, Citation Count: 2

In this paper we study privacy issues regarding the use of the SSL/TLS protocol and X.509 certificates. Our main attention is placed on subscription-based remote services (e.g., subscription to newspapers and databases) where the service manager charges ...

Keyw ords: Access control, anonymity, cryptographic algorithms and protocols, privacy, world-wide web

13 Methods and limitations of security policy reconciliation



Patrick McDaniel, Atul Prakash

August 2006 ACM Transactions on Information and System Security (TISSEC), Volume 9 Issue 3

Publisher: ACM

Full text available: pdf(621.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 22, Downloads (12 Months): 236, Citation Count: 0

A security policy specifies session participant requirements. However, existing frameworks provide limited facilities for the automated reconciliation of participant policies. This paper considers the limits and methods of reconciliation in a general-purpose ...

Keyw ords: Security policy

14 [Application of synchronous dynamic encryption system \(SDES\) in wireless sensor networks](#)



Hamdy S. Soliman, Mohammed Omari

October 2005 PE-WASUN '05: Proceedings of the 2nd ACM international workshop on Performance evaluation of wireless ad hoc, sensor, and ubiquitous networks

Publisher: ACM

Full text available: pdf(59.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 122, Citation Count: 0

In this paper, we introduce a novel security protocol for wireless network of sensors. The new security mechanism is efficient, flexible, and very amenable for deployment in the resource constrained sensor networks. Our cryptosystem is a simple and fast ...

Keyw ords: deployment knowledge, encryption permutation vectors, power balancing, sensors security primitives, stream ciphers

15 [Architectural Support for High Speed Protection of Memory Integrity and Confidentiality in Multiprocessor Systems](#)

Weidong Shi, Hsien-Hsin S. Lee, Mrinmoy Ghosh, Chenghuai Lu

September 2004 PACT '04: Proceedings of the 13th International Conference on Parallel Architectures and Compilation Techniques

Publisher: IEEE Computer Society

Full text available: pdf(255.33 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 43, Citation Count: 3

Recently there is a growing effort in both the architecture and the security community to create a hardware solution for authenticating system memory. As shown in the previous work, hardware-based memory authentication will become a vital component for ...

16 [A survey of cryptographic primitives and implementations for hardware-constrained sensor network nodes](#)



Rodrigo Roman, Cristina Alcaraz, Javier Lopez

August 2007 Mobile Networks and Applications, Volume 12 Issue 4

Publisher: ACM

Full text available: pdf(468.79 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 46, Downloads (12 Months): 237, Citation Count: 0

In a wireless sensor network environment, a sensor node is extremely constrained in terms of hardware due to factors such as maximizing lifetime and minimizing physical size and overall cost. Nevertheless, these nodes must be able to run cryptographic ...

Keyw ords: cryptography, hardware, sensor networks

17 [Robust, anonymous RFID authentication with constant key-lookup](#)



Mike Burmester, Breno de Medeiros, Rossana Motta

March 2008 ASI ACCS '08: Proceedings of the 2008 ACM symposium on Information, computer and communications security

Publisher: ACM

Full text available: pdf(315.43 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 0, Citation Count: 0

A considerable number of anonymous RFID authentication schemes have been proposed. However, current proposals either do not provide robust security guarantees, or suffer from scalability issues when the number of tags issued by the system is very large. ...

Keyw ords: RFID, availability, privacy, provably secure protocols, scalability, unlinkability

18 [Graceful service degradation \(or, how to know your payment is late\)](#)



Alexandr Andoni, Jessica Staddon

June 2005 EC '05: Proceedings of the 6th ACM conference on Electronic commerce

Publisher: ACM

Full text available: pdf(275.69 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 19, Citation Count: 0

When distributing digital content over a broadcast channel it's often necessary to *revoke* users whose access privileges have expired, thus preventing them from recovering the content. This works well when users make a conscious decision to leave ...

Keyw ords: broadcast encryption, copyright protection, degradation scheme, moderately-hard functions, revocation scheme

19 [Analyzing security protocols with secrecy types and logic programs](#)



Martin Abadi, Bruno Blanchet

January 2002 ACM SIGPLAN Notices, Volume 37 Issue 1

Publisher: ACM

Full text available: pdf(189.62 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 33, Citation Count: 8

We study and further develop two language-based techniques for analyzing security protocols. One is based on a typed process calculus; the other, on untyped logic programs. Both focus on secrecy properties. We contribute to these two techniques, in particular ...

20 [Analyzing security protocols with secrecy types and logic programs](#)



Martin Abadi, Bruno Blanchet





January 2002 POPL '02: Proceedings of the 29th ACM SIGPLAN-SIGACT symposium on Principles of programming languages

Publisher: ACM

Full text available: pdf(189.62 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 33, Citation Count: 8

We study and further develop two language-based techniques for analyzing security protocols. One is based on a typed process calculus; the other, on untyped logic programs. Both focus on secrecy properties. We contribute to these two techniques, in particular ...

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)